

U.S. DEPARTMENT OF COMMERCE
National Technical Information Service

PB-281 895

Pruess Lake Millard County, Utah

National Eutrophication Survey, Corvallis, Oreg


Prepared for

Corvallis Environmental Research Lab, Oreg

Nov 77

PB 281 895

**U.S. ENVIRONMENTAL PROTECTION AGENCY
NATIONAL EUTROPHICATION SURVEY
WORKING PAPER SERIES**



**CORVALLIS ENVIRONMENTAL RESEARCH LABORATORY - CORVALLIS, OREGON
and
ENVIRONMENTAL MONITORING & SUPPORT LABORATORY - LAS VEGAS, NEVADA**

REPRODUCED BY
**NATIONAL TECHNICAL
INFORMATION SERVICE**
U. S. DEPARTMENT OF COMMERCE
SPRINGFIELD, VA. 22161

TECHNICAL REPORT DATA (Please read instructions on the reverse before completing)		
1. REPORT NO.	2.	3. REPORT ACCESSION NO. PB281895
4. TITLE AND SUBTITLE Report on Pruess Lake, Millard County, Utah		5. REPORT DATE November 1977 Prepared
		6. PERFORMING ORGANIZATION CODE
7. AUTHOR(S) Anonymous (National Eutrophication Survey Staff)		8. PERFORMING ORGANIZATION REPORT NO. Working Paper # 856
9. PERFORMING ORGANIZATION NAME AND ADDRESS Pacific Northwest Environmental Research Laboratory U.S. Environmental Protection Agency 200 S. W. 35th St. Corvallis, Oregon 97330		10. PROGRAM ELEMENT NO. 1BA029
		11. CONTRACT/GRANT NO.
12. SPONSORING AGENCY NAME AND ADDRESS Office of Research and Development U.S. Environmental Protection Agency 401 M Street, S. W. Washington, DC 20460		13. TYPE OF REPORT AND PERIOD COVERED Final - 1975
		14. SPONSORING AGENCY CODE
15. SUPPLEMENTARY NOTES Prepared in cooperation with the U.S. Environmental Protection Agency, National Environmental Research Center, Las Vegas, Nevada 89114		
16. ABSTRACT Annual total phosphorus and total nitrogen loadings to the lake were estimated and subdivided according to either point or non-point source origin. An assessment of the lake's trophic condition and limiting nutrient is also provided. All data collected by the U.S.E.P.A. National Eutrophication Survey during the one year study of the lake and its tributaries are included in the report.		
17. KEY WORDS AND DOCUMENT ANALYSIS		
a. DESCRIPTORS	b. IDENTIFIERS/OPEN ENDED TERMS	c. COSATI Field/Group
eutrophication lakes nutrients phosphorus nitrogen loading	National Eutrophication Survey Lake Survey	05B 05C
18. DISTRIBUTION STATEMENT Release Unlimited	19. SECURITY CLASS (This Report) Unclassified	21. NO. OF PAGES 22
	20. SECURITY CLASS (This page)	22. PRICE A02-A01

REPORT
ON
PRUESS LAKE
MILLARD COUNTY
UTAH
EPA REGION VIII
WORKING PAPER No. 856

WITH THE COOPERATION OF THE
UTAH STATE DIVISION OF HEALTH
AND THE
UTAH NATIONAL GUARD
NOVEMBER, 1977

CONTENTS

	<u>Page</u>
Foreward	ii
List of Utah Study Lakes and Reservoirs	iv
Lake and Drainage Area Map	v
Sections	
I. Introduction	1
II. Conclusions	1
III. Lake and Drainage Basin Characteristics	2
IV. Water Quality Summary	3
V. Literature Reviewed	7
VI. Appendices	8

LAKE ANALYSIS

In this report, the first stage of evaluation of lake and watershed data collected from the study lakes and its drainage basin is documented. The report is formatted to provide step-by-step procedures with specific information for basin planning (LSD(a)), water quality criteria (LSD(b)), clean lakes (LSD(c)), and water quality monitoring (LSD(d)) activities mandated by the Federal Water Pollution Control Act Amendments of 1972.

FOREWORD

The National Eutrophication Survey was initiated in 1972 in response to an Administration commitment to investigate the nationwide threat of accelerated eutrophication to freshwater lakes and reservoirs.

OBJECTIVES

The Survey was designed to develop, in conjunction with state environmental agencies, information on nutrient sources, concentrations, and impact on selected freshwater lakes as a basis for formulating comprehensive and coordinated national, regional, and state management practices relating to point-source discharge reduction and non-point source pollution abatement in lake watersheds.

ANALYTIC APPROACH

The mathematical and statistical procedures selected for the Survey's eutrophication analysis are based on related concepts that:

- a. A generalized representation or model relating sources, concentrations, and impacts can be constructed.
- b. By applying measurements of relevant parameters associated with lake degradation, the generalized model can be transformed into an operational representation of a lake, its drainage basin, and related nutrients.
- c. With such a transformation, an assessment of the potential for eutrophication control can be made.

LAKE ANALYSIS

In this report, the first stage of evaluation of lake and watershed data collected from the study lake and its drainage basin is documented. The report is formatted to provide state environmental agencies with specific information for basin planning [§303(e)], water quality criteria/standards review [§303(c)], clean lakes [§314(a,b)], and water quality monitoring [§106 and §305(b)] activities mandated by the Federal Water Pollution Control Act Amendments of 1972.

Beyond the single lake analysis, broader based correlations between nutrient concentrations (and loading) and trophic condition are being made to advance the rationale and data base for refinement of nutrient water quality criteria for the Nation's fresh water lakes. Likewise, multivariate evaluations for the relationships between land use, nutrient export, and trophic condition, by lake class or use, are being developed to assist in the formulation of planning guidelines and policies by EPA and to augment plans implementation by the states.

ACKNOWLEDGEMENT

The staff of the National Eutrophication Survey (Office of Research and Development, U.S. Environmental Protection Agency) expresses sincere appreciation to the Utah Department of Social Services and the Utah Department of Natural Resources for professional involvement, to the Utah National Guard for conducting the tributary sampling phase of the Survey, and to those Utah wastewater treatment plant operators who voluntarily provided effluent samples and flow data.

The staffs of the Bureau of Water Quality of the Division of Health and the Division of Wildlife Resources provided invaluable lake documentation and counsel during the Survey, reviewed the preliminary reports, and provided critiques most useful in the preparation of this Working Paper series.

Major General Maurice L. Watts, the Adjutant General of Utah, and Project Officer Lt. Colonel T. Ray Kingston, who directed the volunteer efforts of the Utah National Guardsmen, are also gratefully acknowledged for their assistance to the Survey.

NATIONAL EUTROPHICATION SURVEY

STUDY LAKES AND RESERVOIRS

STATE OF UTAHNAMECOUNTY

Bear
Deer Creek
Echo
Fish
Flaming Gorge


Rich, UT; Bear Lake, ID
Wasatch
Summit
Sevier
Daggett, UT;
Sweetwater, WY

Huntington
Joes Valley
Lower Bowns
Lynn
Minersville
Moon
Navajo
Newcastle
Otter Creek
Panguich
Pelican
Pineview
Piute
Porcupine
Powell

Emery
Emery
Garfield
Box Elder
Beaver
Duchesne
Kane
Iron
Piute
Garfield
Uintah
Weber
Piute
Cache
Garfield, Kane, San
Juan, UT; Coconino, AZ
Millard
Juab, Sanpete
Duchesne
Uintah
Garfield
Utah
Box Elder

Pruess
Sevier Bridge
Starvation
Steinaker
Tropic
Utah
Willard Bay

V



1.
PRUESS LAKE

STORET NO. 4919

I. INTRODUCTION

Pruess Lake was included in the National Eutrophication Survey as a water body of interest to the Utah Bureau of Environmental Health. Tributaries and nutrient sources were not sampled, and this report relates only to the lake sampling data.

II. CONCLUSIONS

A. Trophic Condition:

Survey data indicate that Pruess Lake is eutrophic. It ranked fourteenth in overall trophic quality when the 27 Utah lakes and reservoirs sampled in 1975 were compared using a combination of six parameters*. Twenty-one of the waterbodies had less median total phosphorus, 16 had less and one had the same median dissolved orthophosphorus, 17 had less median inorganic nitrogen, eight had less mean chlorophyll a, and all of the others had greater mean Secchi disc transparency.

B. Rate-Limiting Nutrient:

The algal assay results are not considered representative of conditions in the lake at the times the samples were collected. The lake data indicate nitrogen limitation in May and August and phosphorus limitation in September. However, the lack of transparency (mean Secchi disc depth of 0.2 meters) indicates the lake may be light-limited much of the time.

* See Appendix A.

III. LAKE AND DRAINAGE BASIN CHARACTERISTICS[†]

A. Morphometry^{††}:

1. Surface area: 11.46 kilometers².

2. Mean depth: 5.8 meters.

3. Maximum depth: 10.7 meters.

4. Volume: $7.154 \times 10^6 \text{ m}^3$.

B. Precipitation*:

1. Year of sampling: 20.7 centimeters.

2. Mean annual: 20.7 centimeters.

ranked fourteenth in overall trophic quality when the 25 Utah lakes and reservoirs sampled in 1975 were compared using a combination of six parameters*. Twenty-one of the waterbodies had less median total phosphorus, 18 had less and one had the same median dissolved orthophosphorus, 17 had less median inorganic nitrogen, eight had less mean chlorophyll *a*, and all of the others had greater mean Secchi disc transparency.

B. Rate-limiting nutrient:

The light assay results are not considered representative of conditions in the lake at the time the samples were collected. The lake data indicate nitrogen limitation in May and August and phosphorus limitation in September. However,

the lack of transparency (mean Secchi disc depth of 0.5 meters)

† Table of metric equivalents--Appendix B.

†† Sudweeks, 1975; maximum depth from Ikner (1975); indicates †.

* See Working Paper No. 175, "...Survey Methods, 1973-1976".

IV. WATER QUALITY SUMMARY

Pruess Lake was sampled three times during the open-water season of 1975 by means of a pontoon-equipped Huey helicopter. Each time, samples for physical and chemical parameters were collected from one or more depths at one station on the lake (see map, page v). During each visit, a depth-integrated (near bottom to surface) sample was collected for phytoplankton identification and enumeration; and a similar sample was taken for chlorophyll *a* analysis. During the first and last visits, a single 18.9-liter depth-integrated sample was collected for algal assays. The maximum depth sampled was 3.0 meters.

The sampling results are presented in full in Appendix C and are summarized in the following table.

A. SUMMARY OF PHYSICAL AND CHEMICAL CHARACTERISTICS FOR PHUESS RESERVOIR (GARRIS STORET CODE 4919)

PARAMETER	1ST SAMPLING (5/ 8/75)			2ND SAMPLING (8/13/75)			3RD SAMPLING (9/26/75)		
	1 SITES			1 SITES			1 SITES		
	RANGE	MEAN	MEDIAN	RANGE	MEAN	MEDIAN	RANGE	MEAN	MEDIAN
TEMP (C)	9.6 - 9.7	9.7	9.7	16.2 - 16.3	16.2	16.2	15.1 - 15.1	15.1	15.1
DISS OXY (MG/L)	8.0 - 8.2	8.1	8.2	6.2 - 6.2	6.2	6.2	7.6 - 7.6	7.6	7.6
CNDCTVY (MCROMO)	908. - 953.	935.	944.	1010. - 1012.	1011.	1011.	783. - 783.	783.	783.
PH (STAND UNITS)	8.6 - 8.6	8.6	8.6	8.4 - 8.5	8.5	8.5	8.5 - 8.5	8.5	8.5
TOT ALK (MG/L)	400. - 545.	473.	473.	395. - 465.	430.	430.	455. - 455.	455.	455.
TOT P (MG/L)	0.040 - 0.043	0.041	0.041	0.071 - 0.080	0.075	0.075	0.057 - 0.057	0.057	0.057
ORTHO P (MG/L)	0.006 - 0.008	0.007	0.007	0.019 - 0.034	0.026	0.026	0.008 - 0.008	0.008	0.008
NO2+NO3 (MG/L)	0.020 - 0.020	0.020	0.020	0.130 - 0.130	0.130	0.130	0.120 - 0.120	0.120	0.120
AMMONIA (MG/L)	0.020 - 0.030	0.025	0.025	0.060 - 0.080	0.070	0.070	0.020 - 0.020	0.020	0.020
KJEL N (MG/L)	0.700 - 0.700	0.700	0.700	1.100 - 1.200	1.150	1.150	0.800 - 0.800	0.800	0.800
INORG N (MG/L)	0.040 - 0.056	0.045	0.045	0.190 - 0.210	0.200	0.200	0.140 - 0.140	0.140	0.140
TOTAL N (MG/L)	0.720 - 0.720	0.720	0.720	1.230 - 1.330	1.280	1.280	0.920 - 0.920	0.920	0.920
CHLORPYL A (UG/L)	4.6 - 4.6	4.6	4.6	4.2 - 4.2	4.2	4.2	4.8 - 4.8	4.8	4.8
SECCHI (METERS)	0.3 - 0.3	0.3	0.3	0.2 - 0.2	0.2	0.2	*****	*****	*****

B. Biological characteristics:

1. Phytoplankton -

<u>Sampling Date</u>	<u>Dominant Genera</u>	<u>Algal Units per ml</u>
05/08/75	1. <u>Dactylococcopsis sp.</u>	2,732
	2. <u>Chroomonas (?) sp.</u>	102
	Total	2,834
08/13/75	1. <u>Schroederia sp.</u>	154
	2. <u>Sphaerocystis sp.</u>	61
	3. <u>Stephanodiscus sp.</u>	31
	Total	246
09/26/75	1. <u>Schroederia sp.</u>	72
	2. <u>Sphaerocystis sp.</u>	48
	3. <u>Cryptomonas sp.</u>	24
	4. <u>Aphanizomenon sp.</u>	24
	5. <u>Euglena sp.</u>	24
	Total	192

2. Chlorophyll a -

<u>Sampling Date</u>	<u>Station Number</u>	<u>Chlorophyll <u>a</u> ($\mu\text{g/l}$)</u>
05/08/75	1	4.6
08/13/75	1	4.2
09/26/75	1	4.8

C. Limiting Nutrient Study:

Significant nutrient changes occurred in the assay samples during shipment from the field to the laboratory, and the results are not considered representative of conditions in the lake at the times the samples were collected (05/08/75 and 09/26/75).

The lake data indicate nitrogen limitation in May and August and phosphorus limitation in September (the mean inorganic nitrogen/orthophosphorus ratios were 6/1, 8/1, and 18/1, respectively). However, the lack of transparency (mean Secchi disc depth of 0.2 meters) indicates the lake may be light-limited much of the time.

2.834	Total
1.24	<i>Schroederia</i> sp.
87	<i>Sphaerocystis</i> sp.
37	<i>Stephanodiscus</i> sp.
246	Total
75	<i>Schroederia</i> sp.
48	<i>Sphaerocystis</i> sp.
54	<i>Cryptomonas</i> sp.
54	<i>Aphanizomenon</i> sp.
54	<i>Euglena</i> sp.
195	Total

Chlorophyll <i>a</i> (µg/l)	Station Number	Sampling Date
4.6	1	05/08/72
4.5	1	06/13/72
4.8	1	09/28/72

C. Limiting Nutrient Supply

Significant nutrient changes occurred in the assay samples during shipment from the field to the laboratory, and the results are not considered representative of conditions in the lake at the times the samples were collected (05/08/72 and 09/28/72).

V. LITERATURE REVIEWED

Ikner, James, 1975. Personal communication (lake morphometry).
U.S. Geol. Surv., Salt Lake City.

Sudweeks, Calvin K., 1975. Personal communication (lake morphometry).
UT Bur. of Env. Health, Salt Lake City.

LAKE DATA TO BE USED IN RANKINGS

LAKE CODE	LAKE NAME	MEDIAN TOTAL P	MEDIAN INORG M	500- MEAN SEC	MEAN CHLOR A	15- MIN DO	MEDIAN DISS ORTHO P
4900	LAKE POWELL	0.010	0.410	339.030	3.001	13.000	0.007
4901	BEAR LAKE	0.011	0.040	253.167	0.945	9.200	0.003
4902	LOWER BOBIN'S RESERVOIR	0.031	0.040	336.000	5.567	9.400	0.006
4903	DEER CREEK RESERVOIR	0.038	0.215	430.333	9.070	14.000	0.006
4904	ECHO RESERVOIR	0.047	0.170	450.333	6.967	14.000	0.012
4905	LYNN RESERVOIR	0.121	0.200	417.667	39.600	10.400	0.052
4906	FISH LAKE	0.023	0.040	152.000	12.403	10.400	0.004
4907	HUNTINGTON NORTH RESERVO	0.013	0.040	392.000	1.900	7.800	0.005
4908	JOE'S VALLEY RESERVOIR	0.012	0.045	400.000	2.403	11.200	0.003
4909	MINERSVILLE RESERVOIR	0.192	0.000	445.000	33.503	8.000	0.107
4910	MOON LAKE	0.000	0.040	301.000	2.700	9.000	0.002
4911	NAVAJO LAKE	0.016	0.040	360.000	2.000	6.000	0.003
4912	NEWCASTLE RESERVOIR	0.051	0.040	420.667	12.467	13.000	0.009
4913	OTTER CREEK RESERVOIR	0.067	0.040	453.667	11.767	10.000	0.033
4914	PANQUITCH LAKE	0.071	0.040	426.500	45.950	14.200	0.010
4915	PELICAN LAKE	0.044	0.000	430.000	0.300	0.400	0.004
4916	PINEVIEW RESERVOIR	0.020	0.300	435.003	5.692	14.000	0.006
4917	PIUTE RESERVOIR	0.047	0.150	402.625	25.329	11.000	0.007
4918	PORCUPINE RESERVOIR	0.025	0.110	440.000	7.000	12.400	0.011
4919	PRUESS RESERVOIR (GARRIS	0.057	0.140	491.000	4.533	0.000	0.000
4920	SEVIER BRIDGE RESERVOIR	0.026	0.355	449.770	10.222	12.400	0.000
4921	STARVATION RESERVOIR	0.016	0.040	394.503	5.675	13.200	0.004
4922	STEINAKER RESERVOIR	0.011	0.040	316.750	1.044	12.000	0.005
4923	TROPIC RESERVOIR	0.021	0.050	425.000	7.200	0.400	0.006
4924	UTAH LAKE	0.132	0.320	490.503	72.012	11.400	0.012
4925	WILLARD BAY RESERVOIR	0.044	0.060	457.102	7.567	11.000	0.009
5005	FLAMING GORGE RESERVOIR	0.011	0.090	205.636	2.500	10.400	0.003

PERCENT OF LAKES WITH HIGHER VALUES (NUMBER OF LAKES WITH HIGHER VALUES)

LAKE CODE	LAKE NAME	MEDIAN TOTAL P	MEDIAN INORG N	500- MEAN SEC	MEAN CHLORA	15- MIN DO	MEDIAN DISS ORTHO P	INUEA MU
0408	LAKE POWELL	94 (25)	4 (1)	81 (21)	73 (19)	15 (4)	42 (11)	311
4901	BEAR LAKE	90 (23)	87 (19)	96 (25)	100 (26)	77 (20)	90 (23)	540
4902	LOWER BOWN'S RESERVOIR	46 (12)	87 (19)	85 (22)	65 (17)	73 (19)	50 (13)	406
4903	DEER CREEK RESERVOIR	42 (11)	19 (5)	42 (11)	35 (9)	0 (0)	58 (14)	196
4904	ECHO RESERVOIR	31 (8)	27 (7)	19 (5)	50 (13)	12 (3)	13 (3)	152
4905	LYNN RESERVOIR	0 (2)	23 (6)	58 (15)	8 (2)	62 (15)	4 (1)	163
4906	FISH LAKE	62 (16)	65 (16)	100 (26)	23 (6)	62 (15)	79 (20)	391
4907	MUNTINGTON NORTH RESERVOIR	77 (20)	65 (16)	69 (18)	92 (24)	96 (25)	69 (18)	466
4908	JOE'S VALLEY RESERVOIR	81 (21)	58 (15)	62 (16)	85 (22)	46 (12)	96 (25)	428
4909	MINERSVILLE RESERVOIR	0 (0)	44 (11)	27 (7)	12 (3)	85 (22)	0 (0)	168
4910	MOON LAKE	100 (26)	87 (19)	73 (19)	77 (20)	69 (18)	100 (26)	506
4911	NAVAJO LAKE	69 (18)	87 (19)	77 (20)	88 (23)	100 (26)	85 (22)	506
4912	NEWCASTLE RESERVOIR	23 (6)	87 (19)	46 (12)	27 (7)	19 (5)	27 (7)	229
4913	OTTER CREEK RESERVOIR	15 (4)	87 (19)	15 (4)	31 (8)	54 (14)	8 (2)	210
4914	PANQUITCH LAKE	12 (3)	65 (16)	50 (13)	4 (1)	8 (2)	23 (6)	162
4915	PELICAN LAKE	37 (9)	94 (14)	38 (9)	84 (14)	90 (23)	73 (19)	343
4916	PINEVIEW RESERVOIR	50 (13)	18 (4)	38 (10)	58 (18)	4 (1)	58 (14)	223
4917	PIUTE RESERVOIR	27 (7)	31 (8)	8 (2)	15 (4)	38 (10)	46 (12)	165
4918	PORCUPINE RESERVOIR	58 (15)	38 (10)	31 (8)	38 (10)	33 (8)	19 (5)	217
4919	PRUESS RESERVOIR (GARRIS)	19 (5)	35 (9)	0 (0)	69 (18)	81 (21)	37 (9)	241
4920	SEVIER BRIDGE RESERVOIR	54 (14)	8 (2)	23 (6)	19 (5)	33 (8)	37 (9)	174
4921	STARVATION RESERVOIR	73 (19)	87 (19)	65 (17)	62 (16)	23 (6)	79 (20)	389
4922	STEINAKER RESERVOIR	85 (22)	87 (19)	88 (23)	96 (25)	27 (7)	65 (17)	448
4923	TROPIC RESERVOIR	65 (17)	50 (13)	54 (14)	46 (12)	90 (23)	58 (14)	363
4924	UTAH LAKE	4 (1)	12 (3)	4 (1)	0 (0)	42 (11)	13 (3)	75
4925	WILLARD BAY RESERVOIR	37 (9)	44 (11)	12 (3)	42 (11)	50 (13)	31 (8)	216
5605	FLAMING GORGE RESERVOIR	90 (23)	0 (0)	92 (24)	81 (21)	62 (15)	90 (23)	415

INDEX NO.	LAKE NAME	LAKE CODE	INDEX NO.	LAKE NAME	LAKE CODE	INDEX NO.	LAKE NAME	LAKE CODE	INDEX NO.
1	BEAR LAKE	4901	548	NAVAJO LAKE	506	549	MOON LAKE	506	549
2	NAVAJO LAKE	4911	549	MOON LAKE	506	550	HUNTINGTON NORTH RESERVOIR	448	550
3	MOON LAKE	4918	550	HUNTINGTON NORTH RESERVOIR	448	551	STEINAKER RESERVOIR	448	551
4	HUNTINGTON NORTH RESERVOIR	448	551	STEINAKER RESERVOIR	448	552	JOE'S VALLEY RESERVOIR	428	552
5	STEINAKER RESERVOIR	448	552	JOE'S VALLEY RESERVOIR	428	553	FLAMING GORGE RESERVOIR	415	553
6	JOE'S VALLEY RESERVOIR	428	553	FLAMING GORGE RESERVOIR	415	554	LOWER BOWN'S RESERVOIR	406	554
7	FLAMING GORGE RESERVOIR	415	554	LOWER BOWN'S RESERVOIR	406	555	FISH LAKE	391	555
8	LOWER BOWN'S RESERVOIR	406	555	FISH LAKE	391	556	STARVATION RESERVOIR	389	556
9	FISH LAKE	391	556	STARVATION RESERVOIR	389	557	TROPIC RESERVOIR	363	557
10	STARVATION RESERVOIR	389	557	TROPIC RESERVOIR	363	558	PELICAN LAKE	343	558
11	TROPIC RESERVOIR	363	558	PELICAN LAKE	343	559	LAKE POWELL	311	559
12	PELICAN LAKE	343	559	LAKE POWELL	311	560	PRUSS RESERVOIR (GARRIS)	241	560
13	LAKE POWELL	311	560	PRUSS RESERVOIR (GARRIS)	241	561	NECASTLE RESERVOIR	229	561
14	PRUSS RESERVOIR (GARRIS)	241	561	NECASTLE RESERVOIR	229	562	PINEVIEW RESERVOIR	223	562
15	NECASTLE RESERVOIR	229	562	PINEVIEW RESERVOIR	223	563	PORCUPINE RESERVOIR	217	563
16	PINEVIEW RESERVOIR	223	563	PORCUPINE RESERVOIR	217	564	WILLARD BAY RESERVOIR	216	564
17	PORCUPINE RESERVOIR	217	564	WILLARD BAY RESERVOIR	216	565	JOYTER CREEK RESERVOIR	210	565
18	WILLARD BAY RESERVOIR	216	565	JOYTER CREEK RESERVOIR	210	566	DEER CREEK RESERVOIR	196	566
19	JOYTER CREEK RESERVOIR	210	566	DEER CREEK RESERVOIR	196	567	SEVIER BRIDGE RESERVOIR	174	567
20	DEER CREEK RESERVOIR	196	567	SEVIER BRIDGE RESERVOIR	174	568	MINERSVILLE RESERVOIR	168	568
21	SEVIER BRIDGE RESERVOIR	174	568	MINERSVILLE RESERVOIR	168	569	PIUTE RESERVOIR	165	569
22	MINERSVILLE RESERVOIR	168	569	PIUTE RESERVOIR	165	570	LYNN RESERVOIR	163	570
23	PIUTE RESERVOIR	165	570	LYNN RESERVOIR	163	571	PANQUITCH LAKE	162	571
24	LYNN RESERVOIR	163	571	PANQUITCH LAKE	162	572	ECHO RESERVOIR	152	572
25	PANQUITCH LAKE	162	572	ECHO RESERVOIR	152	573	UTAH LAKE	75	573
26	ECHO RESERVOIR	152	573	UTAH LAKE	75	574			
27	UTAH LAKE	75	574			575			

CONVERSION FACTORS

Hectares x 2.471 = acres

Kilometers x 0.6214 = miles

Meters x 3.281 = feet

Cubic meters x 8.107×10^{-4} = acre/feet

Square kilometers x 0.3861 = square miles

Cubic meters/sec x 2.237 = cubic feet/sec

Centimeters x 0.3937 = inches

APPENDIX B

Kilograms x 2.205 = pounds

Kilograms/square meter x 1.196 = lbs/square meter

CONVERSION FACTORS

Hectares x 2.471 = acres

Kilometers x 0.6214 = miles

Meters x 3.281 = feet

Cubic meters x 8.107×10^{-4} = acre/feet

Square kilometers x 0.3861 = square miles

Cubic meters/sec x 35.315 = cubic feet/sec

Centimeters x 0.3937 = inches

Kilograms x 2.205 = pounds

Kilograms/square kilometer x 5.711 = lbs/square mile

APPENDIX C

•

PHYSICAL and CHEMICAL DATA

STORET RETRIEVAL DATE 76/06/12

491901
38 53 00.0 114 00 45.0 3
PROUSS RESERVOIR (GARRISON)
49027 UTAH

150891

11EPALES 2111202
0014 FEET DEPTH CLASS 00

DATE FROM TO	TIME OF DAY	DEPTH FEET	WATER TEMP CENT	00010	00300 DO MG/L	00077 TRANSP SECCM INCHES	00094 CONDUCTIVITY FIELD MICROMHO	00400 PH SU	00410 T ALK CAC03 MG/L	00610 NH3-N TOTAL MG/L	00625 TOT KJEL N MG/L	00630 NO2&NO3 N-TOTAL MG/L	00671 PHOS-DIS ORTHO MG/L P
75/05/08	10 10 0000	9.7	8.0	12	8.0	908	8.65	8.65	400	0.030	0.700	0.020	0.008
	10 10 0005	9.7	8.2		8.2	953	8.65	8.65	545	0.020	0.700	0.020	0.006
	10 10 0010	9.6	8.2	6	8.2	944			395	0.060	1.100	0.130	0.034
75/08/13	07 30 0000	16.2	6.2		6.2	1010	8.45	8.45	465	0.080	1.200	0.130	0.019
	07 30 0024	16.3	6.2		6.2	1012			455	0.020	0.800	0.120	0.008
75/09/26	10 00 0000	15.1	7.6		7.6	783							

STATION 10 00 0000
DATE 75/05/08
TIME 10 10 0000
DEPTH 9.7
WATER TEMP 8.0
DO 8.0
TRANSP SECCM 12
CONDUCTIVITY 908
PH 8.65
T ALK CAC03 400
NH3-N TOTAL 0.030
TOT KJEL N 0.700
NO2&NO3 N-TOTAL 0.020
PHOS-DIS ORTHO 0.008

STATION 10 00 0000
DATE 75/05/08
TIME 10 10 0000
DEPTH 9.7
WATER TEMP 8.0
DO 8.0
TRANSP SECCM 12
CONDUCTIVITY 953
PH 8.65
T ALK CAC03 545
NH3-N TOTAL 0.020
TOT KJEL N 0.700
NO2&NO3 N-TOTAL 0.020
PHOS-DIS ORTHO 0.006

STATION 10 00 0000

491901
38 53 00.0 114 00 45.0 3
PRUES RESERVOIR (GARRISON)
49027 UTAH 150891

11EPALES 211120Z
0014 FEET DEPTH CLASS 00

DATE	TIME	DEPTH	PHOS-P	CHLOROPHYL A	INDOT LY	00031
FROM	OF	FEET	MG/L P	UG/L	PERCENT	
TO	DAY					
75/05/08	10	10	0.000	4.6		
	10	10	0.005			
	10	10	0.043			
75/08/13	07	30	0.080	4.2		
	07	30	0.004			
75/09/26	10	00	0.057	4.8		

148